

What is claimed is:

1. A portable terminal device of the foldable type comprising a pair of flat cabinets openably connected to each other by a hinge mechanism, each of the cabinets  
5 comprising a front cabinet segment to be opposed to the other cabinet when closed and a rear cabinet segment joined to the front cabinet segment, one of the pair of cabinets having the front cabinet segment thereof connected at an end portion thereof to the hinge mechanism and having the  
10 rear cabinet segment thereof engaged with the front cabinet segment thereof, the other cabinet having the rear cabinet segment thereof connected at an end portion thereof to the hinge mechanism and having the front cabinet segment thereof engaged with the rear cabinet segment thereof.  
15
2. A portable terminal device of the foldable type according to claim 1 wherein one of the pair of flat cabinets is a manipulation-side cabinet provided with a plurality of manual keys, and the other cabinet is a display-side cabinet provided with a display, the front  
20 cabinet segment of the manipulation-side cabinet and the rear cabinet segment of the display-side cabinet being connected to each other by the hinge mechanism.
3. A portable terminal device of the foldable type according to claim 1 wherein the front cabinet segment of

the manipulation-side cabinet is provided with a pair of annular pieces projecting from one end thereof and spaced apart from each other, and the rear cabinet segment of the display-side cabinet is provided with a pair of annular  
5 pieces projecting from one end thereof and spaced apart from each other, the annular piece of the manipulation-side cabinet and the annular piece of the display-side cabinet being arranged side by side in contact with each other and have fitted therein a first hinge unit, the other annular  
10 piece of the manipulation-side cabinet and the other annular piece of the display-side cabinet being arranged side by side in contact with each other and have fitted therein a second hinge unit.

4. A portable terminal device of the foldable type  
15 according to claim 3 wherein the front cabinet segment of the manipulation-side cabinet has a circular-arc piece projecting from the end thereof and positioned between the pair of annular pieces, and the rear cabinet segment of the manipulation-side cabinet is provided at one end thereof  
20 with a partial member joined to the circular-arc piece for forming a hollow cylinder.

5. A portable terminal device of the foldable type according to claim 3 wherein the front cabinet segment of the display-side cabinet is provided with a projecting

circular-arc piece positioned between the pair of annular pieces, and the rear cabinet segment of the display-side cabinet is provided at the end thereof with a partial member joined to the circular-arc piece for forming a

5 hollow cylinder.

6. A portable terminal device of the foldable type according to claim 4 wherein a circuit board in the manipulation-side cabinet and a display in the display-side cabinet are connected to each other by a flexible lead, and

10 the flexible lead is helically wound inside the hollow cylinders formed by the circular-arc pieces and the partial members.

7. A portable terminal device of the foldable type according to claim 5 wherein a circuit board in the manipulation-side cabinet and a display in the display-side

15 cabinet are connected to each other by a flexible lead, and the flexible lead is helically wound inside the hollow cylinders formed by the circular-arc pieces and the partial members.